

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	460	313/553.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/17 15:13
S2	0	313/553.ccls. and envelope and "discharge vessel" and ionizable and neck and electrode and base and getter	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/17 15:25
S3	0	313/553.ccls. and envelope and "discharge vessel" and neck and electrode and base and getter	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/17 15:25
S4	5	313/553.ccls. and envelope and neck and electrode and base and getter	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/17 15:25
S5	19	"3324081"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 15:26
S6	6	"5432399"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 15:27
S7	3	"0192590"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 15:28

S8	2	(pressure with discharge with lamp) and (getter with nitrogen with "mbar.ml")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 15:47
S9	17	313/553.ccls. and (getter with nitrogen)	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/17 15:48
S10	12	313/553.ccls. and (getter with nitrogen) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/17 15:51
S11	76	313/553.ccls. and (getter with envelope) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/17 15:54
S12	12478	(high with pressure with discharge with lamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 16:04
S13	2751	(high\$pressure adj1 discharg\$3 adj1 lamp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 16:05
S14	58	(high\$pressure adj1 discharg\$3 adj1 lamp) and (lead with electrode) and getter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 16:05
S15	34	(high\$pressure adj1 discharg\$3 adj1 lamp) and (lead with electrode) and getter and envelope	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/17 16:06
S16	8	"6521014"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/22 11:02

S17	40	"discharge lamp" same "outer envelope" same ionizable same base	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/22 11:04
S18	29	(high with pressure with discharge with lamp) and ("outer envelope" with volume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/22 11:09
S19	424	"discharge lamp" and (envelope with (volume ml cc))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/22 11:16
S20	37	"discharge lamp" and (envelope with volume with (ml cc))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/22 11:17
S21	2	getter with nitrogen with "mbar.ml"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/22 11:31
S22	1013	313/25.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/31 14:42
S23	111	313/25.ccls. and getter	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/31 14:42
S24	52	313/25.ccls. and getter and (N.U/C. nitrogen)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/31 14:47
S25	26	313/25.ccls. and (getter near6 (outer envelope bulb)) and (N.U/C. nitrogen)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/31 14:47

S26	27	313/25.ccls. and (getter near6 (outer envelope bulb)) and (N.U/C. nitrogen)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/31 14:47
-----	----	--------------------------------------------------------------------------------------------	---------------------------	----	----	---------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S27	20	313/25.ccls. and (getter near6 (outer envelope bulb)) and (N.U/ C. nitrogen)	USPAT; UPAD	OR	ON	2009/08/31 15:04

8/ 31/ 2009 3:39:38 PM**C:\ Documents and Settings\ mbowman\ My Documents\ EAST\ Workspaces\ 10596756.
wsp**